

**Qualikems**

## Qualikems Lifesciences Pvt. Ltd.

(Formerly known as Qualikems fine chem Pvt Ltd)

Works : Plot No. 68-69, G.I.D.C Industrial Estate, Nandesari, Vadodara-391340 (Gujarat)

Telefax : 91-265-2841531, 2841532, 2841534, 2841535.

Sales Office : 5531, Basti Harphool Singh Sadar Thana Road, Delhi-110006

Tel : +91-11-23618475/23618476, Fax: +91-11-23678476

Email: salesindia@qualikems.com , www.qualikems.com.

### CERTIFICATE OF ANALYSIS

|                          |   |                             |                         |   |              |
|--------------------------|---|-----------------------------|-------------------------|---|--------------|
| <b>Name of Product</b>   | : | Potassium Hydroxide pellets | <b>CAS No.</b>          | : | 1310-58-3    |
| <b>Molecular Formula</b> | : | KOH                         | <b>Molecular Weight</b> | : | 56.11 g/mole |
| <b>Batch No.</b>         | : | QF2502016                   | <b>Grade</b>            | : | LR           |
| <b>Mfg. Date</b>         | : | February-2025               | <b>Retest Date</b>      | : | January-2030 |

| Sr. No. | Tests                                       | Specification                                            | Observation |
|---------|---------------------------------------------|----------------------------------------------------------|-------------|
| 1       | Appearance                                  | White deliquescent pellets readily absorb carbon dioxide | Complies    |
| 2       | Assay of KOH                                | Min.85 %                                                 | 85.57 %     |
|         | <b>Maximum limits of impurities:</b>        |                                                          | #           |
| 3       | Carbonate (K <sub>2</sub> CO <sub>3</sub> ) | 2%                                                       | 0.42 %      |
| 4       | Chloride(Cl)                                | 0.02%                                                    | <0.02 %     |
| 5       | Sulphate(SO <sub>4</sub> )                  | 0.003%                                                   | <0.003 %    |
| 6       | Phosphate(PO <sub>4</sub> )                 | 0.002%                                                   | 0.001 %     |
| 7       | Silicate as(SiO <sub>2</sub> )              | 0.01%                                                    | 0.004 %     |
| 8       | Total nitrogen(N)                           | 0.0005%                                                  | 0.0002 %    |
| 9       | Iron(Fe)                                    | 0.001%                                                   | < 0.001 %   |
| 10      | Aluminum(Al)                                | 0.001%                                                   | 0.0006 %    |
| 11      | Calcium(Ca)                                 | 0.002%                                                   | 0.001 %     |
| 12      | Sodium(Na)                                  | 0.5%                                                     | 0.2 %       |
| 13      | Arsenic(As)                                 | 0.0004%                                                  | < 0.0004 %  |
| 14      | Heavy metals(Pb)                            | 0.0005%                                                  | 0.0003 %    |

**Conclusion:** Product complies as per above specification.

**Note:** This document has been produced electronically and it is valid without signature.

Quality of our product tested and reported in the COA are as per the specification and without any prejudice/liability what so ever the end product performance.

(An ISO 9001 : 2015 & 14001 : 2015 & 45001:2018 Certified Company)

\*NSIC - CRISIL SE 2B which indicates " High Performance Capability & Moderate Financial Strength\*