



**Qualikems**

# Qualikems Lifesciences Pvt. Ltd.

(Formerly known as Qualikems fine chem Pvt Ltd)

Works : Plot No. 68-69,G.I.D.C Industrial Estate,Nandesari,Vadodara-391340 (Gujarat)

Telefax : 91-265-2841531,2841532,2841534,2841535.

Sales Office : 5531,Basti Harphool singh Sadar Thana Road, Delhi-110006

Tel : +91-11-23618475/23618476,Fax:+91-11-23678476

Email: salesindia@qualikems.com ,www.qualikems.com

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifiers

Product name : **Benzene**

CAS-No. : **71-43-2**

### 2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

### 3 Details of the supplier of the safety data sheet

Company : Qualikems Lifesciences Pvt Ltd

Works : Plot No. 68.69,G.I.D.C  
Industrial Estate, Nandesari,  
Vadodara-391340 (Gujarat)

### Emergency telephone number

Emergency Phone # : +91-265-2841531 (9:00am - 6:30 pm) [Office hours]

## SECTION 2: Hazards identification

### 1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1A), H350

Specific target organ toxicity - repeated exposure (Category 1), H372

Aspiration hazard (Category 1), H304

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### Label elements

#### Labeling according to Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H340 May cause genetic defects.  
 H350 May cause cancer.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statement(s)**

P201 Obtain special instructions before use.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P273 Avoid release to the environment.  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P331 Do NOT induce vomiting.

**Supplemental Hazard Statements** none

Restricted to professional users.

**Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Formula : C<sub>6</sub>H<sub>6</sub>  
 Molecular weight : 78,11 g/mol  
 CAS-No. : 71-43-2  
 EC-No. : 200-753-7  
 Index-No. : 601-020-00-8  
 Registration number : 01-2119447106-44-XXXX

**Hazardous ingredients according to Regulation (EC) No 1272/2008**

Component	Classification	Concentration
<b>Benzene</b>		
CAS-No.	71-43-2	<= 100 %
EC-No.	200-753-7	
Index-No.	601-020-00-8	
Registration number	01-2119447106-44-XXXX	
	Flam. Liq. 2; Skin Irrit. 2; Eye Irrit. 2; Muta. 1B; Carc. 1A; STOT RE 1; Asp. Tox. 1; Aquatic Chronic 3; H225, H315, H319, H340, H350, H372, H304, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures**

**1 Description of first aid measures**

**General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Fire fighting measures****1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**2 Special hazards arising from the substance or mixture**

Carbon oxides

Flash back possible over considerable distance., Container explosion may occur under fire conditions.

**3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**Further information**

Use water spray to cool unopened containers.

**SECTION 6: Accidental release measures****1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

**Reference to other sections**

For disposal see section 13.

**SECTION 7: Handling and storage****1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Avoid exposure - obtain special instructions before use.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

**2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

**3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 1 Control parameters

Component with workplace control parameters

### 2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

##### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

##### Control of environment and exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

a) Appearance	Form: liquid Colour: clear, colourless
b) Odour	No data available
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	freezing point: 5.2 °C - lit.
f) Initial boiling point and boiling range	79-81 <sup>0</sup> C
g) Flash point	-10,99 °C - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 8 %(V) Lower explosion limit: 1,3 %(V)
k) Vapour pressure	221,3 hPa at 37,7 °C 99,5 hPa at 20,0 °C

l) Vapour density	No data available
m) Relative density	0,875 – 0.879g/cm <sup>3</sup> at 20 °C
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	log Pow: 2,13 at 25 °C
p) Auto-ignition temperature	562,0 °C
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

#### **Other safety information**

No data available

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of hazardous reactions**

No data available

#### **Conditions to avoid**

Heat, flames and sparks.

#### **Incompatible materials**

acids, Bases, Halogens, Strong oxidizing agents, Metallic salts

#### **Hazardous decomposition products**

Other decomposition products - No data available

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - male - > 5.960 mg/kg  
(OECD Test Guideline 401)

LC50 Inhalation - Rat - female - 4 h - 43,7 mg/l  
(OECD Test Guideline 403)

LD50 Dermal - Rabbit - 8.263 mg/kg

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: Skin irritation - 4 h  
(OECD Test Guideline 404)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Eye irritation

### **Respiratory or skin sensitisation**

Maximisation Test (GPMT) - Guinea pig

Result: Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Laboratory experiments have shown mutagenic effects. In vivo tests showed mutagenic effects

Chinese hamster lung cells

Result: positive

OECD Test Guideline 475

Mouse - male

Result: positive

### **Carcinogenicity**

Carcinogenicity - Human - male - Inhalation

Tumorigenic: Carcinogenic by RTECS criteria. Leukaemia Blood: Thrombocytopenia.

Carcinogenicity - Rat - Oral

Tumorigenic: Carcinogenic by RTECS criteria. Endocrine: Tumors. Leukaemia

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Human carcinogen.

IARC: 1 - Group 1: Carcinogenic to humans (Benzene)

### **Reproductive toxicity**

Reproductive toxicity - Mouse - Intraperitoneal

Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetal death.

Developmental Toxicity - Rat - Inhalation

Effects on Embryo or Fetus: Extra embryonic structures (e.g., placenta, umbilical cord). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Developmental Toxicity - Mouse - Inhalation

Effects on Embryo or Fetus: Cytological changes (including somatic cell genetic material). Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow).

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### **Additional information**

Repeated dose toxicity Rat - male and female - Oral - NOAEL : 100 mg/kg - OECD Test Guideline 408

RTECS: CY1400000

Nausea, Dizziness, Headache, narcosis, Inhalation of high concentrations of benzene may have an initial stimulatory effect on the central nervous system characterized by exhilaration, nervous excitation and/or giddiness, depression, drowsiness, or fatigue.

The victim may experience tightness in the chest, breathlessness, and loss of consciousness. Tremors, convulsions, and death due to respiratory paralysis or circulatory collapse can occur in a few minutes to several hours following severe exposures. Aspiration of small amounts of liquid immediately causes pulmonary edema and hemorrhage of pulmonary tissue. Direct skin contact may cause erythema. Repeated or prolonged skin contact may result in drying, scaling dermatitis, or development of secondary skin infections. The chief target organ is the hematopoietic system. Bleeding from the nose, gums, or mucous membranes and the development of purpuric spots, pancytopenia, leukopenia, thrombocytopenia, aplastic anemia, and leukemia may occur as the condition progresses. The bone marrow may appear normal, aplastic or hyperplastic, and may not correlate with peripheral blood-forming tissues. The onset of effects of prolonged benzene exposure may be delayed for many months or years after the actual exposure has ceased., Blood disorders

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 15,00 - 32,00 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Ceriodaphnia dubia (water flea) - 17,2 mg/l - 48 h
Toxicity to algae	Growth inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - 100 mg/l - 72 h (OECD Test Guideline 201)

### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 96 % - Readily biodegradable (OECD Test Guideline 301F)
------------------	----------------------------------------------------------------------------------------------------

### 12.3 Bioaccumulative potential

Bioaccumulation	Leuciscus idus (Golden orfe) - 3 d - 0,05 mg/l
	Bioconcentration factor (BCF): 10

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1114

IMDG: 1114

IATA: 1114

### 14.2 UN proper shipping name

ADR/RID: BENZENE

IMDG: BENZENE

IATA: Benzene

### 14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

No data available

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Benzene

CAS-No.: 71-43-2

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Carcinogens: category 1A

Restricted to professional users.

See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Benzene

CAS-No.: 71-43-2

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Shall not be placed on the market, or used, as a substance or in mixtures

See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Benzene

CAS-No.: 71-43-2

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Not permitted in toys or part of toys

See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Benzene

CAS-No.: 71-43-2

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

ANNEX I, PART 1: List of chemicals subject to export notification procedure

## Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

### **Full text of H-Statements referred to under sections 2 and 3.**

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Qualikems Lifesciences Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.qualikems.com](http://www.qualikems.com) for additional terms and conditions of sale