



Qualikems Lifesciences Pvt. Ltd.

(Formerly known as Qualikems fine chem Pvt Ltd)

Works : Plot No. 68-69,G.I.D.C Industrial Estate,Nandesari,Vadodara-391340 (Gujarat)

Telefax : 91-265-2841531,2841532,2841534,2841535.

Sales Office : 5531,Basti Harphool singh Sadar Thana Road, Delhi-110006

Tel : +91-11-23618475/23618476,Fax:+91-11-23678476

Email: salesindia@qualikems.com ,www.qualikems.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifiers

Product name : **Potassium fluoride**

CAS-No. : **7789-23-3**

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Details of the supplier of the safety data sheet

Company : Qualikems Lifesciences Pvt Ltd

Works :
Plot No. 68.69,G.I.D.C
Industrial Estate,
Nandesari, Vadodara-
391340 (Gujarat)

Emergency telephone

Emergency Phone # : +91-265-2841531 (9:00am - 6:30 pm) [Office hours]

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s) H301 + H311 + H331 H318	Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage.
Precautionary statement(s) P261 P280	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P301 + P310 P302 + P352 + P312	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Strong hydrogen fluoride-releaser

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	: FK
Molecular weight	: 58,10 g/mol
CAS-No.	: 7789-23-3
EC-No.	: 232-151-5
Index-No.	: 009-005-00-2

Component	Classification	Concentration
potassium fluoride		
CAS-No.	7789-23-3	<= 100 %
EC-No.	232-151-5	
Index-No.	009-005-00-2	
	Acute Tox. 3; Eye Dam. 1; H301, H331, H311, H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5%

calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media Suitable

extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Hydrogen fluoride
Potassium oxides
Not combustible.
Ambient fire may liberate hazardous vapours.

Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Hygroscopic. Store under inert gas. Do not store in glass

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredients with workplace control parameters

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

- | | |
|---|--|
| a) Appearance | Form: crystalline
Color: white |
| b) Odor | odorless |
| c) Odor Threshold | Not applicable |
| d) pH | 8 - 9 at 50 g/l at 20 °C |
| e) Melting point/freezing point | Melting point/range: 858 °C - lit. |
| f) Initial boiling point and boiling range | 1.505 °C at 1.013 hPa |
| g) Flash point | Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |
| k) Vapor pressure | 1,3 hPa at 885 °C |
| l) Vapor density | No data available |
| m) Relative density | 2,49 at 22 °C |
| n) Water solubility | 923 g/l at 18 °C - completely soluble |
| o) Partition coefficient: n-octanol/water | log Pow: -0,77 - (Lit.), Bioaccumulation is not expected. |
| p) Autoignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | Viscosity, kinematic: No data available
Viscosity, dynamic: No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | No data available |

Other safety information

No data available

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:
Strong oxidizing agents
acids

Conditions to avoid

Reacts dangerously with glass.
no information available

Incompatible materials

glass

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information**Information on toxicological effects****Acute toxicity**

LD50 Oral - Rat - male and female - 25 - 2.000 mg/kg
(OECD Test Guideline 401)

Symptoms: tissue damage

LC50 Inhalation - Rat - male and female - 4 h - 1 mg/l
(OECD Test Guideline 403)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

LD50 Dermal - Rat - male and female - > 2.000 mg/kg
(US-EPA)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Dermal: (Regulation (EC) No 1272/2008, Annex VI)

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

Remarks: (in analogy to similar products)

Serious eye damage/eye irritation

Risk of corneal clouding.

Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(US-EPA)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: without metabolic activation

Result: negative

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: sodium fluoride
Test Type: Ames test

Test system: *S. typhimurium*

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Species: Mouse

Cell type: Bone marrow

Application Route: Oral

Method: US-EPA

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 24 Months - NOAEL (No observed adverse effect level) - 25 mg/kg - LOAEL (Lowest observed adverse effect level) - 4 mg/kg
Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: sodium fluoride

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Salivation, Nausea, Vomiting, Abdominal pain, Fever, Irregular breathing., Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., perforation of the nasal septum, calcium deposits in the ligaments, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Convulsions

Unconsciousness

Cardiac irregularities

respiratory arrest

shock

After long-term exposure to the chemical:

Damage to:

Bone marrow

The following applies to soluble inorganic fluorides in general: may cause irritations to burns in contact with eyes, skin, mucous membranes. Systemic effect: drop in blood calcium level, agitation, spasms, cardiovascular disorders, CNS disorders.

This substance should be handled with particular care.

SECTION 12: Ecological information

Toxicity

No data available

Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 1812

IMDG: 1812

IATA: 1812

UN proper shipping name

ADR/RID: POTASSIUM FLUORIDE, SOLID

IMDG: POTASSIUM FLUORIDE, SOLID

IATA: Potassium fluoride, solid

Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

Packaging group

ADR/RID: III

IMDG: III

IATA: III

Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3.**

H301 Toxic if swallowed.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H331

H311 Toxic in contact with skin.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

Relevant changes since previous version

2. Hazards identification

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Qualikems Lifesciences Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.qualikems.com for additional terms and conditions of sale.