



Qualikems Lifesciences Pvt. Ltd.

(Formerly known as Qualikems fine chem Pvt Ltd)

Works : Plot No. 68-69,G.I.D.C Industrial Estate,Nandesari,Vadodara-391340 (Gujarat)

Telefax : 91-265-2841531,2841532,2841534,2841535.

Sales Office : 5531,Basti Harphool singh Sadar Thana Road, Delhi-110006

Tel : +91-11-23618475/23618476,Fax:+91-11-23678476

Email: salesindia@qualikems.com ,www.qualikems.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifiers

Product name : **Sodium Lauryl Sulphate**

CAS-No. : **151-21-3**

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

Details of the supplier of the safety data sheet

Company : Qualikems Lifesciences Pvt Ltd

Works : Plot No. 68.69,G.I.D.C
Industrial Estate, Nandesari,
Vadodara-391340 (Gujarat)

Emergency telephone number

Emergency Phone # : +91-265-2841531 (9:00am - 6:30 pm) [Office hours]

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable solids (Category 2), H228

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H228

Flammable solid.

H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	Sodium dodecyl sulfate
Formula	:	C ₁₂ H ₂₅ NaO ₄ S
Molecular weight	:	288.38 g/mol
CAS-No.	:	151-21-3
EC-No.	:	205-788-1

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
Sodium Lauryl Sulphate		
CAS-No.	151-21-3	Flam. Sol. 2; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; Aquatic Chronic 3; H228, H302, H332, H315, H318, H335, H412 Concentration limits: 10 - < 20 %: Eye Irrit. 2, H319; >= 20 %: Eye Dam. 1, H318;
EC-No.	205-788-1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**Extinguishing media Suitable****extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides, Sulphur oxides, Sodium oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition

- No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

Hygroscopic.

Storage class (TRGS 510): Flammable solids

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection**Control parameters****Exposure controls****Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Appearance	Form: Powder Colour: white
b) Odour	odourless
c) Odour Threshold	No data available
d) pH	9.1 at 10 g/l
e) Melting point/freezing point	204 - 207 °C
f) Initial boiling point and boiling range	No data available
g) Flash point	170 °C
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 2.
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	0.0018 mbar at 20 °C
l) Vapour density	No data available
m) Relative density	0.370 g/cm ³
n) Water solubility	soluble
o) Partition coefficient: n-octanol/water	log Pow: 0.83 at 22 °C
p) Auto-ignition temperature	310.5 °C
q) Decomposition temperature	No data available

- r) Viscosity No data available
s) Explosive properties No data available
t) Oxidizing properties No data available

9.2 Other safety information

Solubility in other solvents	Ethanol - partly soluble
Surface tension	25.2 mN/m at 23 °C
Dissociation constant	1.31 at 20 °C

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides, Sodium oxides

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,200 mg/kg(Sodium Lauryl Sulphate)

LC50 Inhalation - Rat - 1 h - > 3,900 mg/m³(Sodium Lauryl Sulphate)

Skin corrosion/irritation

Skin - Rabbit(Sodium Lauryl Sulphate)

Result: Skin irritation - 24 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation Eyes

- Rabbit(Sodium Lauryl Sulphate) Result:

Risk of serious damage to eyes. (OECD

Test Guideline 405)

Respiratory or skin sensitisation

Information given is based on data obtained from similar substances.(Sodium Lauryl Sulphate)

Germ cell mutagenicity

No data available(Sodium Lauryl Sulphate)

Ames test(Sodium Lauryl Sulphate)

S. typhimurium

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Sodium Lauryl Sulphate)

Specific target organ toxicity - single exposure

No data available(Sodium Lauryl Sulphate)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Sodium Lauryl Sulphate)

Additional Information

RTECS: Not available

sneezing, The sodium salt of dodecyl sulfate has been reported to cause pulmonary se and pulmonary allergy accompanied by fatigue, malaise, and aching. Signif years and can be activated by a variety of nonspecific environmental stim smoking.(Sodium dodecyl sulphate)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Sodium dodecyl sulphate)

SECTION 12: Ecological information

Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96 h(Sodium Lauryl Sulphate)
(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates LC50 - Daphnia dubia (water flea) - 5.55 mg/l - 48 h(Sodium Lauryl Sulphate)

NOEC - Daphnia dubia (water flea) - 0.684 mg/l - 7 d(Sodium Lauryl Sulphate)

Toxicity to algae Growth inhibition LOEC - Pseudokirchneriella subcapitata - 2.68 mg/l - 6 d(Sodium Lauryl Sulphate)

static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - > 120 mg/l - 72 h(Sodium Lauryl Sulphate)

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d(Sodium Lauryl Sulphate)
Result: 95 % - Readily biodegradable
(OECD Test Guideline 301B)

Ratio BOD/ThBOD 95.9 % (Sodium Lauryl Sulphate)

Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 72 h
(Sodium Lauryl Sulphate)
Bioconcentration factor (BCF): 3.9 - 5.3

Mobility in soil

No data available(Sodium Lauryl Sulphate)

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

Toxic to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

UN number

ADR/RID: 1325

IMDG: 1325

IATA: 1325

UN proper shipping name

ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium Lauryl Sulphate)

IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (Sodium Lauryl Sulphate)

IATA: Flammable solid, organic, n.o.s. (Sodium Lauryl Sulphate)

Transport hazard class(es)

ADR/RID: 4.1

IMDG: 4.1

IATA: 4.1

Packaging group

ADR/RID: III

IMDG: III

IATA: III

Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H228	Flammable solid.
H302	Harmful if swallowed.
H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Qualikems Lifesciences Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.qualikems.com for additional terms and conditions of sale.