



# Qualikems Lifesciences Pvt. Ltd.

(Formerly known as Qualikems fine chem Pvt Ltd)

Works : Plot No. 68-69,G.I.D.C Industrial Estate,Nandesari,Vadodara-391340 (Gujarat)

Telefax : 91-265-2841531,2841532,2841534,2841535.

Sales Office : 5531,Basti Harphool singh Sadar Thana Road, Delhi-110006

Tel : +91-11-23618475/23618476,Fax:+91-11-23678476

Email: salesindia@qualikems.com ,www.qualikems.com

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifiers

Product name : **Sodium Methoxide**

CAS-No. : **124-41-4**

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

### Details of the supplier of the safety data sheet

Company : Qualikems Lifesciences Pvt Ltd

Works : Plot No. 68.69,G.I.D.C  
Industrial Estate, Nandesari,  
Vadodara-391340 (Gujarat)

### Emergency telephone number

Emergency Phone # : +91-265-2841531 (9:00am - 6:30 pm) [Office hours]

## SECTION 2: Hazards identification

### Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Self-heating substances and mixtures (Category 1), H251

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1B), H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

### Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H251

H302

H314

Self-heating: may catch fire.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary statement(s)

P235 + P410

P280

Keep cool. Protect from sunlight.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
Supplemental Hazard information (EU)  
EUH014 Reacts violently with water.

#### Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
Reacts violently with water.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : Sodium methyolate  
Formula : NaOCH<sub>3</sub>  
Molecular weight : 54.02 g/mol  
CAS-No. : 124-41-4  
EC-No. : 204-699-5  
Index-No. : 603-040-00-2

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Sodium methanolate</b>			
CAS-No.	124-41-4	Flam. Sol. 1; Self-heat. 1; Met.	<= 100 %
EC-No.	204-699-5	Corr. 1; Acute Tox. 4; Skin	
Index-No.	603-040-00-2	Corr. 1A; H228, H251, H290, H302, H314	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### Description of first aid measures

##### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

##### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

##### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

##### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

##### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

##### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

##### Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### Extinguishing media

##### Suitable extinguishing

##### media

Dry powder

**Special hazards arising from the substance or mixture**

Carbon oxides, Sodium oxides

**Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**Further information**

No data available

**SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Methods and materials for containment and cleaning up**

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal.

**Reference to other sections**

For disposal see section 13.

**SECTION 7: Handling and storage****Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

**Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage.

Moisture sensitive. Store under inert gas.

Storage class (TRGS 510): Pyrophoric and self-heating hazardous materials

**Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

**SECTION 8: Exposure controls/personal protection****Control parameters****Exposure controls****Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment****Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Body Protection

Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

- |   |   |
|---|---|
| a) Appearance                                   | Form: powder<br>Colour: white   |
| b) Odour  | No data available   |
| c) Odour Threshold                              | No data available   |
| d) pH   | 13 at 10 g/l at 20 °C   |
| e) Melting point/freezing point                 | No data available   |
| f) Initial boiling point and boiling range      | No data available   |
| g) Flash point                                  | 33 °C - closed cup  |
| h) Evaporation rate                             | No data available   |
| i) Flammability (solid, gas)                    | No data available   |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 36 %(V)<br>Lower explosion limit: 7.3 %(V)                                     |
| k) Vapour pressure                              | 50 mmHg at 20 °C<br>96 mmHg at 25 °C  |
| l) Vapour density                               | 1.87 - (Air = 1.0)  |
| m) Relative density                             | 0.970 g/cm <sup>3</sup>   |
| n) Water solubility                             | No data available   |
| o) Partition coefficient: n-octanol/water       | No data available   |
| p) Auto-ignition temperature                    | 25 - 50 °C<br>at 1,013 hPaThe substance or mixture is classified as self heating with the category 1. |
| q) Decomposition temperature                    | No data available   |
| r) Viscosity                                    | No data available   |
| s) Explosive properties                         | No data available   |
| t) Oxidizing properties                         | No data available   |

### Other safety information

- |                         |                             |
|-------------------------|-----------------------------|
| Bulk density            | 500 - 600 kg/m <sup>3</sup> |
| Relative vapour density | 1.87 - (Air = 1.0)          |

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Reacts violently with water.

### Conditions to avoid

Exposure to moisture

### Incompatible materials

acids, Chlorinated solvents, Water

### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sodium oxides

Other decomposition products - No data available

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute

##### toxicity

LD50 Oral - Rat - male and female - 1,687 mg/kg(Sodium methanolate)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg(Sodium methanolate)

#### Skin

##### corrosion/irritation

Skin - Rabbit(Sodium methanolate)

Result: Causes severe burns. - 3 min

##### Serious eye damage/eye irritation

Eyes - Rabbit(Sodium methanolate)

Result: Corrosive to eyes - 24 h

##### Respiratory or skin sensitisation

No data available(Sodium methanolate)

##### Germ cell mutagenicity

No data available(Sodium methanolate)

Ames test(Sodium methanolate)

S. typhimurium

Result: negative

##### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### Reproductive toxicity

No data available(Sodium methanolate)

##### Specific target organ toxicity - single exposure

No data available(Sodium methanolate)

##### Specific target organ toxicity - repeated exposure

No data available

##### Aspiration hazard

No data available(Sodium methanolate)

##### Additional Information

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Sodium methanolate)

## SECTION 12: Ecological information

### Toxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available(Sodium methanolate)

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### UN number

ADR/RID: 1431

IMDG: 1431

IATA: 1431

### UN proper shipping name

ADR/RID: SODIUM METHYLATE

IMDG: SODIUM METHYLATE

IATA: Sodium methylate

### Transport hazard class(es)

ADR/RID: 4.2 (8)

IMDG: 4.2 (8)

IATA: 4.2 (8)

### Packaging group

ADR/RID: II

IMDG: II

IATA: II

### Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### Special precautions for user

No data available

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Chemical safety assessment

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

EUH014	Reacts violently with water.
H228	Flammable solid.
H251	Self-heating; may catch fire.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Qualikems Lifesciences Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.qualikems.com](http://www.qualikems.com) for additional terms and conditions of sale.