



**Qualikems**

# Qualikems Lifesciences Pvt. Ltd.

(Formerly known as Qualikems fine chem Pvt Ltd)

Works : Plot No. 68-69,G.I.D.C Industrial Estate,Nandesari,Vadodara-391340 (Gujarat)

Telefax : 91-265-2841531,2841532,2841534,2841535.

Sales Office : 5531,Basti Harphool singh Sadar Thana Road, Delhi-110006

Tel : +91-11-23618475/23618476,Fax:+91-11-23678476

Email: salesindia@qualikems.com ,www.qualikems.com

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### Product identifiers

Product name : **Sodium Meta Periodate**

CAS-No. : **7790-28-5**

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

### Details of the supplier of the safety data sheet

Company : Qualikems Lifesciences Pvt Ltd

Works : Plot No. 68.69,G.I.D.C  
Industrial Estate, Nandesari,  
Vadodara-391340 (Gujarat)

### Emergency telephone number

Emergency Phone # : +91-265-2841531 (9:00am - 6:30 pm) [Office hours]

## SECTION 2: Hazards identification

### Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 1), H271

Skin corrosion (Category 1C), H314

Specific target organ toxicity - repeated exposure (Category 1), thymus gland, H372

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

O	Oxidising	R 8
C	Corrosive	R34
T	Toxic	R48/25
N	Dangerous for the environment	R50

For the full text of the R-phrases mentioned in this Section, see Section 16.

### Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word	Danger
Hazard statement(s)	
H271	May cause fire or explosion; strong oxidiser.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs (thymus gland) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
P371 + P380 + P375	
Supplemental Hazard Statements	none

#### Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms	:	Sodium periodate
Formula	:	INaO <sub>4</sub>
Molecular weight	:	213,89 g/mol
CAS-No.	:	7790-28-5
EC-No.	:	232-197-6

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Sodium periodate</b>			
CAS-No.	7790-28-5	Ox. Sol. 1; Skin Corr. 1C;	<= 100 %
EC-No.	232-197-6	STOT RE 1; Aquatic Acute 1; H271, H314, H372, H400	
<b>Sodium periodate</b>			
CAS-No.	7790-28-5	Ox. Sol. 1; Skin Corr. 1C;	<= 100 %
EC-No.	232-197-6	STOT RE 1; Aquatic Acute 1; H271, H314, H372, H400	

#### Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
<b>Sodium periodate</b>			
CAS-No.	7790-28-5	O, C, T, N, R 8 - R34 - R48/25	<= 100 %
EC-No.	232-197-6	- R50	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

## **SECTION 4: First aid measures**

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### **In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### **If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2 .2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

## **SECTION 5: Firefighting measures**

### **Extinguishing media Suitable**

#### **extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### **Special hazards arising from the substance or mixture**

Hydrogen iodide, Sodium oxides

### **Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

### **Further information**

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **Methods and materials for containment and cleaning up**

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### **Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

#### **Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Light sensitive. Hygroscopic.

Storage class (TRGS 510): Strongly oxidizing hazardous materials

#### **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

##### **Components with workplace control parameters**

#### **Exposure controls**

##### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

##### **Personal protective equipment**

###### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

###### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

###### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

###### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

###### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **SECTION 9: Physical and chemical properties**

#### **Information on basic physical and chemical properties**

- |  |  |
|--|--|
| a) Appearance                              | Form: crystalline<br>Colour: white, light yellow |
| b) Odour                                   | odourless  |
| c) Odour Threshold                         | No data available                                |
| d) pH                                      | 3,5 - 5,5 at 107 g/l at 25 °C                    |
| e) Melting point/freezing point            | Melting point/range: 270 °C                      |
| f) Initial boiling point and boiling range | No data available                                |
| g) Flash point                             | No data available                                |

h) Evaporation rate	No data available
i) Flammability (solid, gas)	The product is not flammable.
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	No data available
l) Vapour density	No data available
m) Relative density	3,860 g/cm <sup>3</sup>
n) Water solubility	107 g/l at 20 °C - completely soluble
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	262 °C
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	The substance or mixture is classified as oxidizing with the category 1.

**Other safety information**

No data available

**SECTION 10: Stability and reactivity**

**Reactivity**

No data available

**Chemical stability**

hygroscopic

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

No data available

**Conditions to avoid**

Exposure to light.

**Incompatible materials**

Organic materials, Forms shock-sensitive mixtures with certain other materials., Reducing agents, Powdered metals, Magnesium

**Hazardous decomposition products**

Other decomposition products - No data available

In the event of fire: see section 5

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity**

LD50 Intraperitoneal - Mouse - 58 mg/kg

**Skin corrosion/irritation**

Skin - EPISKIN Human Skin Model Test

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

(OECD Test Guideline 431)

**Serious eye damage/eye irritation**

Risk of serious damage to eyes.

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. - thymus gland

**Aspiration hazard**

No data available

**Additional Information**

RTECS: SD4550000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

**SECTION 12: Ecological information****Toxicity**

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 0,17 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 0,18 mg/l - 48 h

**Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Other adverse effects**

Very toxic to aquatic life.

No data available

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

## SECTION 14: Transport information

### UN number

ADR/RID: 3085

IMDG: 3085

IATA: 3085

### UN proper shipping name

ADR/RID: OXIDIZING SOLID, CORROSIVE, N.O.S. (Sodium periodate) (Sodium periodate)

IMDG: OXIDIZING SOLID, CORROSIVE, N.O.S. (Sodium periodate) (Sodium periodate)

IATA: Oxidizing solid, corrosive, n.o.s. (Sodium periodate) (Sodium periodate)

### Transport hazard class(es)

ADR/RID: 5.1 (8)

IMDG: 5.1 (8)

IATA: 5.1 (8)

### Packaging group

ADR/RID: I

IMDG: I

IATA: I

### Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

### Special precautions for user

No data available

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

### Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute	Acute aquatic toxicity
H271	May cause fire or explosion; strong oxidiser.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
Ox. Sol.	Oxidizing solids
Skin Corr.	Skin corrosion
STOT RE	Specific target organ toxicity - repeated exposure

### Full text of R-phrases referred to under sections 2 and 3

C	Corrosive
N	Dangerous for the environment
O	Oxidising
T	Toxic
R 8	Contact with combustible material may cause fire.
R34	Causes burns.
R48/25	Toxic: danger of serious damage to health by prolonged exposure if swallowed.
R50	Very toxic to aquatic organisms.

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Qualikems Lifesciences Pvt. Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.qualikems.com](http://www.qualikems.com) for additional terms and conditions of sale.